



- GENERAL NOTES**
1. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS AND ARCHITECTS DRAWINGS AND SPECIFICATIONS.
 2. ALL LEVELS ARE IN METRES TO ORDNANCE DATUM, MAJIN HEAD UNLESS NOTED OTHERWISE.
 3. THE POSITION OF EXISTING SERVICES AS SHOWN ON THE DRAWING MAY NOT BE ACCURATE. THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR LOCATING ALL EXISTING SERVICES ON THE SITE AND SHOULD CONTACT THE RESPECTIVE UTILITY PROVIDERS AND AUTHORITIES FOR THE MOST UP-TO-DATE INFORMATION BEFORE COMMENCING THE WORKS.
 4. EXISTING LEVELS ARE INDICATIVE ONLY AND MUST BE CHECKED AND VERIFIED ON SITE PRIOR TO COMMENCEMENT.
 5. PROPOSED MANHOLE COVER LEVELS ARE APPROXIMATE AND SHOULD BE ADJUSTED TO SUIT LOCAL FINISHES.
 6. ALL SURFACE WATER DRAINAGE INFRASTRUCTURE SHALL BE CONSTRUCTED IN ACCORDANCE WITH LOCAL AUTHORITY REQUIREMENTS.
 7. LOCKABLE TYPE GULLY TRAPS TO BE USED ON ALL SURFACE WATER DRAINS.
 8. GULLY POSITIONS ARE APPROXIMATE ONLY AND SHOULD BE LOCATED AT LOW POINTS.
 9. REFER TO ARCHITECTS DRAWINGS FOR ALL ROOF DRAINAGE, STRIP DRAINS AND GULLY TRAPS BENEATH DOWNPIPES.
 10. WHERE IT IS NOT POSSIBLE TO ACHIEVE MINIMUM COVER, PIPES SHOULD BE BEDDED AND SURROUNDING IN CONCRETE 150mm THICK, CLASS E IN ACCORDANCE WITH T1 STANDARD CONSTRUCTION DETAIL CC-SCD-00521.
 11. ALL WASTEWATER DRAINAGE INFRASTRUCTURE SHALL BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER STANDARDS. REFER TO IRISH WATER PUBLICATIONS "WASTEWATER INFRASTRUCTURE STANDARD DETAILS - IW-CDS-5020-01" AND "CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE - IW-CDS-5030-03".
 12. HYDRANTS TO BE ACCORDANCE WITH IRISH WATER STANDARD DETAILS STD-W-16 TO STD-W-19.
 13. THURST BLOCK ARRANGEMENTS SHALL COMPLY WITH IRISH WATER STANDARD DETAILS STD-W-28.
 14. REFER TO MECHANICAL AND ELECTRICAL ENGINEER'S DRAWINGS FOR INTERNAL DRAINAGE AND DETAILS OF SOIL AND VENT PIPES LEADING TO WASTEWATER DRAINS.
 15. ALL WATER INFRASTRUCTURE SHALL BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER STANDARDS. REFER TO IRISH WATER PUBLICATIONS "WATER INFRASTRUCTURE STANDARD DETAILS - IW-CDS-5020-01" AND "CODE OF PRACTICE FOR WATER INFRASTRUCTURE - IW-CDS-5020-03".
 16. ALL PLANTING & TREES TO COMPLY WITH SEPARATION DISTANCES AS PER IRISH WATER STANDARD DETAILS FOR WASTEWATER, STD-WW-06 AND STD-WW-06A AND FOR WATER, STD-W-12 AND STD-W-12A.
 17. A METHOD STATEMENT SHALL BE SUBMITTED FOR APPROVAL PRIOR TO INSTALLATION AND TESTING.
 18. ALL PIPE DIAMETERS INDICATED ARE INNER DIAMETER.
 19. THESE DRAWINGS ARE NOT TO BE USED FOR SETTING OUT PURPOSES. REFER TO ARCHITECTS DRAWINGS FOR SETTING OUT.
- CIVIL SERVICES LEGEND**
- EXISTING SURFACE WATER PIPES
 - PROPOSED PVC FOUL SEWER PIPES (IN ACCORDANCE WITH SECTION 1.13 OF IRISH WATER CODE OF PRACTICE FOR PIPE MATERIALS)
 - EXISTING FOUL SEWER PIPES
 - BOUNDARY LINE
 - PROPOSED SURFACE WATER MANHOLE
 - PROPOSED FOUL SEWER MANHOLE (IN ACCORDANCE WITH IRISH WATER TYPICAL DETAILS STD-WW-1010A11)
 - EXISTING MANHOLE
 - ROAD DIA. PERFORATED PIPE TO SWALE AREA
 - 150mm DIA. OVERFLOW CHAMBER
 - FLUSH KERB TO FACILITATE RUN-OFF TO SWALE
 - PROPOSED ATTENUATION TANK (SEE DRAWING No. 421 FOR DETAILS)
 - PROPOSED PERMEABLE PAVING AT PRIVATE PARKING BAYS
 - PRIVATE SIDE FOUL SEWER INSPECTION CHAMBER (IN ACCORDANCE WITH IRISH WATER STANDARD DETAIL STD-WW-13)
 - STORM WATER INSPECTION CHAMBER
 - C.L. COVER LEVEL
 - I.L. INVERT LEVEL
 - ALL LEVELS RELATE TO MAJIN HEAD DATUM.
- NOTE:
FOR BOTH FOUL SEWER AND STORMWATER DRAINAGE PIPE INFORMATION REFER TO DRAWING No. 241139-ORS-ZZ-00-DR-CE-415

FOR CONTINUATION SEE
241139-ORS-ZZ-00-DR-CE-401



INFORMATION		REV NO.		DATE		REVISION NOTE		DWN BY		CHK BY:	
© ORS This drawing and any design herein is the copyright of the Consultants and must not be reproduced without their written consent. All drawings remain the property of the Consultants. Figured dimension only to be taken from this drawing. All dimensions to be checked on site. Consultants to be informed immediately of any discrepancies before work proceeds.		P01	28/02/2025	ISSUED FOR PRE-PLANNING STAGE 2 (S247)		JG	DG				
		P02	12/03/2025	ISSUED TO IRISH WATER		RS	DG				
		P03	14/03/2025	ISSUED FOR INFORMATION		RS	DG				
		P04	21/03/2025	PRELIMINARY PLANNING PACK		PM	DG				
		P05	02/04/2025	ISSUED FOR PLANNING		PM	DG				
		P06	22/04/2025	IW SODA RESPONSE		PM	DG				
		P07	30/04/2025	IW SODA RESPONSE - ADDITIONAL COMMENTS		PM	DG				
		P08	01/05/2025	IW SODA RESPONSE - ADDITIONAL COMMENTS		PM	DG				
		P09	02/05/2025	ISSUED FOR PLANNING		PM	DG				

CLIENT:		JH KINNIE LTD.	
PROJECT:		HOUSING DEVELOPMENT AT KINNEGAD, Co. WESTMEATH.	
TITLE:		FOUL & STORMWATER SEWER LAYOUT PLAN SHEET 1	
DRAWN:		CHECKED:	APPROVED:
DATE:		SCALE:	REV:
MARCH 2025		1:250	P09
		DRAWING NO:	241139-ORS-ZZ-00-DR-CE-400
		JOB NO:	241139

ORS

Mullingar | Dublin | Galway | Donegal | Cork | Waterford

T +353 1 5242060 | W www.ors.ie | E info@ors.ie

ISO 9001:2015 QUALITY ASSURED COMPANY